

# ECR COMPARISON CHART (1)

FEATURES	ER180	ER290	ER180T	ER180TDL	ER265B	ER260RALB	ER265RALB
COLOUR	Black	Ivory	Black	Black	Black	Black	Black
TABLE TRACKING	✖	✖	✖	✖	✖	✖	✖
ELECTRONIC JOURNAL	✖	✖	✓ (Fixed 2400)	✓ (Fixed 2400)	✓ (Fixed 800)	✓ (Fixed 800)	✓ (Fixed 800)
PLU STATUS GROUPS	✖	✖	✖	✖	✖	✖	✖
EPROM OR FLASHROM	FlashROM (PC)	EPROM	FlashROM (PC)	FlashROM (PC)	EPROM (2M)	EPROM (2M)	EPROM (2M)
MAX NUMBER OF PLU'S STD/MAX RAM CHIP(S)	100 (Fixed)	300 (Fixed)	500 (Fixed)	500 (Fixed)	999 (Fixed)	999 (Fixed)	999 (Fixed)
NUMBER OF GROUPS /DEPARTMENT	10 D (16 D for earlier batch)	12 D	16 D	16 D	15 D	15 D	15 D
NUMBER OF KEYS ON KEYBOARD INC NUMBER PAD	48 (Raised - fixed cap)	44 (Raised - can label)	48 (Raised - can label)	48 (Raised - can label)	49 (Flat - can label)	49 (Flat/Raised - can label)	49 (Flat/Raised - can label)
NUMBER OF CLERKS	4	4	10	10	10	10	10
NUMBER OF INTERFACE PORTS	0	0	0	0	0 (DB9F, Optional)	1 SERIAL (DB9F)	1 SERIAL (DB9F)
IRC	✖	✖	✖	✖	✖	✖	✖
PERIPHERAL COMPATABILITY *COIN DISPENSERS AND ** LIQUOR DISPENSER ARE NOT AVAILABLE IN AUSTRALIA	n/a	n/a	n/a	n/a	PC,* KITCHEN PRINTER*	PC, KITCHEN PRINTER	PC, KITCHEN PRINTER
WINDOW LOOKUPS	✖	✖	✖	✖	✖	✖	✖
MULTI LINE SCREEN	✖	✖	✖	✖	✖	✖	✖
INTERNAL PRINTER TYPE	3 FLYING WHEEL (57mm)	IMPACT (57mm)	THERMAL (57mm)	THERMAL (57mm)	THERMAL (57mm)	THERMAL (57mm)	THERMAL (57mm)
# of TENDER METHODS	3	3	3	3	3	3	3
PROGRAMMABLE GRAPHIC LOGO (Monochrome)	n/a	n/a	n/a	n/a	Header* 256 x 136 Pixels	Header 256 x 136 Pixels	Header 256 x 136 Pixels
CLERK INTERRUPT	✖	✖	✖	✖	✖	✖	✖
NUMBER OF CHARACTER DESCRIPTOR	✖	✖	12	12	12	12	12
MIX AND MATCH	✖	✖	✖	✖	✖	✖	✖
WEIGHT	3.8KG	16.0KG	3.8KG	8.1KG	8.5KG	11.8KG	11.8KG
DIMENSIONS (MM) W x D x H	325 x 420 x 202	400 x 450 x 266	325 x 420 x 202	400 x 450 x 218	320 x 420 x 225	400 x 450 x 235	400 x 450 x 235

\* Only available when RS232 Port is fitted.

\* **(H):** Hardware Limitation, **(S):** Software/firmware Limitation, **(PC):** Firmware upgradable (Flash) via PC Utility, **(PC/SD):** Firmware upgradable (Flash) via 2GB (or less) SD Card or PC Utility, **(2M):** 2MB EPROM Chip, **(4M):** 4MB EPROM Chip,

# ECR COMPARISON CHART (2) CONT'D

FEATURES	ER230	ER380	ER380M	ER380MB	ER390M	ER390MB
COLOUR	Black	Ivory	Ivory	Black	Ivory	Black
TABLE TRACKING	x	✓	✓	✓	✓	✓
ELECTRONIC JOURNAL	✓ (12000 Max. (S))	✓ (15000 Max. (S))	✓ (15000 Max. (S))	✓ (15000 Max. (S))	✓ (15000 Max. (S))	✓ (15000 Max. (S))
PLU STATUS GROUPS	x	x	x	x	x	x
EPROM OR FLASHROM	FlashROM (PC)	EPROM (4M)	EPROM (4M)	EPROM (4M)	EPROM (4M)	EPROM (4M)
MAX NUMBER OF PLU'S STD/MAX RAM CHIP(S)	500/5000(S)	2293/5000(S)	2293/5000(S)	2293/5000(S)	2293/5000(S)	2293/5000(S)
NUMBER OF GROUPS /DEPARTMENT	99 G	99 G	99 G	99 G	99 G	99 G
NUMBER OF KEYS ON KEYBOARD INC NUMBER PAD	48 (Raised - can label)	43 (Raised - can label)	43 (Raised - can label)	43 (Raised - can label)	90 (Flat - can label)	90 (Flat - can label)
NUMBER OF CLERKS	99	99	99	99	99	99
NUMBER OF INTERFACE PORTS	2 SERIAL (RJ45)	1 SERIAL (DB9F)	2 SERIAL (DB9F)	2 SERIAL (DB9F)	2 SERIAL (DB9F)	2 SERIAL (DB9F)
IRC	x	x	x	x	x	x
PERIPHERAL COMPATABILITY *COIN DISPENSERS AND ** LIQUOR DISPENSER ARE NOT AVAILABLE IN AUSTRALIA	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER CASH DRAWER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER
WINDOW LOOKUPS	x	x	x	x	x	x
MULTI LINE SCREEN	x	x	2 Lines	2 Lines	2 Lines	2 Lines
INTERNAL PRINTER TYPE	THERMAL (57mm)	THERMAL (57mm)	THERMAL (57mm)	THERMAL (57mm)	THERMAL (57mm)	THERMAL (57mm)
# of TENDER METHODS	10	10	10	10	10	10
PROGRAMMABLE GRAPHIC LOGO (Monochrome)	Header 384 x 192 Pixels	Header 384 x 192 Pixels	Header 384 x 192 Pixels	Header 384 x 192 Pixels	Header 384 x 192 Pixels	Header 384 x 192 Pixels
CLERK INTERRUPT	X	✓	✓	✓	✓	✓
NUMBER OF CHARACTER DESCRIPTOR	12	18	18	18	18	18
MIX AND MATCH	✓	✓	✓	✓	✓	✓
WEIGHT	1.9KG	16KG	16KG	16KG	16KG	16KG
DIMENSIONS (MM) W x D x H	225 X 236 X 124	400 x 450 x 266	400 x 450 x 266	400 x 450 x 266	400 x 450 x 266	400 x 450 x 266

# ECR COMPARISON CHART (3) CONT'D

FEATURES	ER420M	ER430M	ER52xxM	ER94x	ER92x
COLOUR	Ivory	Ivory	Ivory	Black	Black
TABLE TRACKING	✓	✓	✓	✓	✓
ELECTRONIC JOURNAL	x	x	x	✓ (50000 Max. (H))	✓ (50000 Max. (H))
PLU STATUS GROUPS	x	x	x	x	x
EPROM OR FLASHROM	FlashROM (PC)	FlashROM (PC)	FlashROM (PC)	FlashROM (PC/SD)	FlashROM (PC/SD)
MAX NUMBER OF PLU'S STD/MAX RAM CHIP(S)	2370/9000(S)	2370/9000(S)	2370/15000(S)	15000(S)	15000(S)
NUMBER OF GROUPS /DEPARTMENT	99 G	99 G	99 G	99 G	99 G
NUMBER OF KEYS ON KEYBOARD INC NUMBER PAD	47 (Raised - can label)	90 (Flat - can label)	60/90/160* (can label)	91/150^ (Raised/Flat - can label)	91/150^ (Raised/Flat - can label)
NUMBER OF CLERKS	99	99	99	99	99
NUMBER OF INTERFACE PORTS	2 SERIAL (DB9F)	2 SERIAL (DB9F)	2 SERIAL (DB9F)	4 SERIAL (2 x DB9M; 1 x RJ45; 1 USB A Male VCOM (Windows driver needed)) 1 SD, 1 MSR	4 SERIAL (2 x DB9M; 1 x RJ45; 1 USB A Male VCOM (Windows driver needed)) 1 SD, 1 MSR
IRC	x	x	x	x	x
PERIPHERAL COMPATABILITY *COIN DISPENSERS AND ** LIQUOR DISPENSER ARE NOT AVAILABLE IN AUSTRALIA	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER DALLAS KEY 2 <sup>nd</sup> CASH DRAWER	PC SCALE SCANNER KITCHEN PRINTER POLE DISPLAY SLIP PRINTER DALLAS KEY 2 <sup>nd</sup> CASH DRAWER
WINDOW LOOKUPS	x	x	x	x	x
MULTI LINE SCREEN	2 Lines	2 Lines	2 Lines	2 Lines	2 Lines
INTERNAL PRINTER TYPE	2 X THERMAL (44mm)	2 X THERMAL (44mm)	2 X THERMAL (57mm) (Auto Cutter on Receipt Printer)	2 X THERMAL (57mm) (Auto Cutter on Receipt Printer)	1 X THERMAL (57mm) (with Auto Cutter)
# of TENDER METHODS	10	10	10	10	10
PROGRAMMABLE GRAPHIC LOGO (Monochrome)	Header/Footer 288 x 192 Pixels	Header/Footer 288 x 192 Pixels	Header/Footer 384 x 192 Pixels	Header/Footer 384 x 192 Pixels	Header/Footer 384 x 192 Pixels
CLERK INTERRUPT	✓	✓	✓	✓	✓
NUMBER OF CHARACTER DESCRIPTOR	18	18	18	18	18
MIX AND MATCH	✓	✓	✓	✓	✓
WEIGHT	16KG	16KG	15KG	12KG	12KG
DIMENSIONS (MM) W x D x H	400 x 450 x 266	400 x 450 x 266	400 x 450 x 303	400 x 455 x 305	400 x 455 x 305

- ER-5215/M: 60 Raised Keyboard - Replace; ER-5240/M: 90 Raised Keyboard; ER-5200/M: 160 Flat Keyboard
- ER-925/945: 91 Raised Keyboard - Replace; ER-920/940: 150 Flat Keyboard

# ECR COMPARISON CHART (4) CONT'D

FEATURES	ER600/B	SPS320	SER70x0	SPS530FT	SPS1000 (Samsung Version)	SPS2000/B
COLOUR	Ivory/Black	Black	Ivory	Black	Ivory	Silver/Black
TABLE TRACKING	✓	✓	✓	✓	✓	✓
ELECTRONIC JOURNAL	✓ (36900 Max. (H))	✓ (51459 Max. (H))	✓	✓ (60000 Max. (S))	✓	✓ (60000 Max. (S))
PLU STATUS GROUPS	*	*	✓	✓ (9999 Max. (S))	✓	✓ (9999 Max. (S))
EPROM OR FLASHROM	FlashROM (PC)	FlashROM (PC/SD)	FlashROM (PC)	FlashROM (PC/SD)	FlashROM (PC)	FlashROM (PC/SD)
MAX NUMBER OF PLU'S STD/MAX RAM CHIP(S)	4334/21810(H) (v5.6R)	20312 (v01.011)	104/25000	13968/65000(H) (v1.00L)	n/a /20000	32720 (v1.03V)
NUMBER OF GROUPS /DEPARTMENT	99 G	99 G	99 G	99 G	99 G	99 G
NUMBER OF KEYS ON KEYBOARD INC NUMBER PAD	98 (Flat/Raised - can label)	91/150^ (Raised/Flat - can label)	160 (Flat - can label)	4984 160 (Flat keyboard - can label) + (201 SCREEN @ 24)	169 (Flat - can label)	8060 (20+201 SCREENS @ 40)
NUMBER OF CLERKS	99	99	99	999	999	999
NUMBER OF INTERFACE PORTS	4 SERIAL (2 x DB9F; 2 x RJ45)	4 SERIAL (2 x DB9M; 1 x RJ45; 1 USB A Male VCOM (Windows driver needed)) 1 SD, 1 MSR	4 SERIAL (1 x DB9F; 3 x RJ45)	4 SERIAL (2 x DB9M; 2 x RJ45) 2 USB, 1 LAN 1 SD, 1 MCR	3 SERIAL (7MAX) (2 x DB9M; 1/5 x RJ45)	6 SERIAL (2 x DB9M; 4 x RJ45) 1 PARALLEL 2 USB, 1 LAN 1 SD, 1 MCR
IRC	✓ (8 units max.)	✓ (16 units max.)	✓ (32 units max.)	✓ (32 units max.)	✓ (32 units max.)	✓ (32 units max.)
PERIPHERAL COMPATABILITY *COIN DISPENSERS AND ** LIQUOR DISPENSER ARE NOT AVAILABLE IN AUSTRALIA	PC KITCHEN, RECEIPT JOURNAL PRINTERS SCALE, SCANNER POLE-DISPLAY IRC 2 CASH DRAWERS	PC KITCHEN, JOURNAL PRINTERS SCALE, SCANNER POLE-DISPLAY IRC, KITCHEN VIDEO 2 <sup>nd</sup> CASH DRAWER DALLAS KEY	PC PRINTERS KITCHEN VIDEO SCALE, SCANNER POLE DISPLAY 2 <sup>ND</sup> CASH DRAWERS	PC, PRINTERS KITCHEN VIDEO SCALE, SCANNER MAGELLAN POLE DISPLAY AXEZE / RFID DALLAS KEY 2 CASH DRAWERS	PC KITCHEN, RECEIPT JOURNAL PRINTERS KITCHEN VIDEO SCALE, SCANNER POLE DISPLAY 3 CASH DRAWERS	PC, PRINTERS KITCHEN VIDEO SCALE, SCANNER MAGELLAN POLE DISPLAY AXEZE / RFID DALLAS KEY 2 CASH DRAWERS
WINDOW LOOKUPS	15	15	999	200	999	200
MULTI LINE SCREEN	8 Lines	8 Lines	10 Lines	✓ (7" LCD Screen)	14 Lines	✓ (12.1" LCD Screen)
INTERNAL PRINTER TYPE	n/a (External)	THERMAL (57mm)	2X THERMAL (57mm)	THERMAL (80mm)	n/a (External)	n/a (External)
# of TENDER METHODS	10	10	18	18	18	18
PROGRAMMABLE GRAPHIC LOGO (Monochrome)	X (Image(s) saved in POS Printer if feature is available)	Header 384 x 192 Pixels	22 files 384 x 192 Pixels	15 files 576 x 240 Pixels	X (Image(s) saved in POS Printer if feature is available)	X (Image(s) saved in POS Printer if feature is available)
CLERK INTERRUPT	✓	✓	✓	✓	✓	✓
NUMBER OF CHARACTER DESCRIPTOR	18	18	18	20	16	20
MIX AND MATCH	✓	✓	✓	✓ (Multiple Types)	✓	✓ (Multiple Types)
WEIGHT	6KG	13.4KG	17KG	12KG	7KG	5KG
DIMENSIONS (MM) W x D x H	385 X 176 X 155	400 x 455 x 305	400 X 462 X 305	430 X 468 X 344	387 X 292 X 219	378 X 242 X 155