

SPS-500 Update – Default folder



CONTENTS


• 01 Default folder setting – case 1

• 02 Default folder setting – case 2

• 03 Default folder setting – case 3

Default folder setting – case 1

- 1) When you install and start the utility for the first time, this pop-up appears.
- 2) Enter the store name and click [Make folder].



Default folder setting – case 1

3) 'STORE SETTING' window will shows.

STORE SETTING

test

STORE # 000000 STORE test

STORE

C:\WSPS-500\test

SERIAL ETHERNET

SERIAL

BAUDRATE 57600

PORT # PORT 2

START REG# REGISTER 1

END REG# REGISTER 1

ETHERNET

REG# REGISTER 1

IP ADDRESS

192 . 168 . 0 . 12

PORT # (8027) 8027

USE MODEM

DISPLAY COMMUNICATION MESSAGE

OK CANCEL

Default folder setting – case 2

1) When you go into STORE SETTING

STORE SETTING

Store 1

STORE # 000000 STORE Store 1

STORE

NEW ...

1. Is store folder empty?

Store set

Store folder set for 'Store 1'

Store name

Make folder Cancel

2. This pop-up box will display.

Default folder setting - 3

1) When you change to another store.

1. Change to another store

2. Is store folder empty?

3. This pop-up box will display.